



AGRI-VATOR

AG72 - 6' / AG96 - 8' / AG144 - 12'



164 Oakridge Church Road | Tifton, GA 31794
1-229-382-4768 (or) 1-800-363-8780
www.1stproducts.com



164 Oakridge Church Road | Tifton, GA 31794
1-229-382-4768 (or) 1-800-363-8780
www.1stproducts.com



THE AGRI-VATOR

The AGRI-Vator is one of the leading types of agricultural equipment in the sod industry that helps with up to a 30% faster re-growth. It allows you to relieve compaction while aerating the soil at the same time. The unit is available in 6', 8', and 12' widths with an optional seed box and spiker roller.

AG96 AGRI-VATOR - 8'

Facilitates seed growth and helps you get the results you want for your farm. Break apart the soil without doing damage to the surface turf.



PRODUCT SPECIFICATIONS

- Weight** 2045 lbs

Center Drive Gearbox 1:1.5 Tee

End Drive 2 Cx Belts (Left End)

Tine Vibration Frequency @ 540 PTO RPM = 1026 Cycles/Min

Side-to-Side Tine Travel 2 1/4 inches

Vibrating Depth 6 Inches
- Aeration Density** 5 Holes per sq. ft.


Tines 3/4 X 6" Forged And Hardened (144)

Rotor Bearings Double Sealed Tapered Roller

Drive Line 1 3/8" Spline w/ Safety Shield

Finish Black Acrylic w Grey Trim

Tractor HP required 45, 60, 80



AG72 AGRI-VATOR - 6'

Facilitates seed growth and helps you get the results you want for your farm. Break apart the soil without doing damage to the surface turf.



PRODUCT SPECIFICATIONS

- Weight** 1630 lbs

Center Drive Gearbox 1:1.5 Tee

End Drive 3 Cx Belts (Left End)

Tine Vibration Frequency @ 540 PTO RPM = 1026 Cycles/Min

Side-to-Side Tine Travel 2 1/4 inches

Vibrating Depth 6 Inches
- Aeration Density** 5 Holes per sq. ft.

Tines 3/4 X 6" Forged And Hardened (144)

Rotor Bearings Double Sealed Tapered Roller

Drive Line 1 3/8" Spline w/ Safety Shield

Finish Black Acrylic w Grey Trim

Tractor HP required 45, 60, 80

AG144 AGRI-VATOR - 12'

Facilitates seed growth and helps you get the results you want for your farm. Break apart the soil without doing damage to the surface turf.



PRODUCT SPECIFICATIONS

- Weight** 2825 lbs

Center Drive Gearbox 1:1.5 Tee

End Drive 3 Cx Belts (Left End)

Tine Vibration Frequency @ 540 PTO RPM = 1026 Cycles/Min

Side-to-Side Tine Travel 2 1/4 inches

Vibrating Depth 6 Inches
- Aeration Density** 5 Holes per sq. ft.

Tines 3/4 X 6" Forged And Hardened (144)

Rotor Bearings Double Sealed Tapered Roller

Drive Line 1 3/8" Spline w/ Safety Shield

Finish Black Acrylic w Grey Trim

Tractor HP required 45, 60, 80


ACCESSORIES

SEEDBOX

AG72 SEEDBOX

PRODUCT SPECIFICATIONS


Weight: (Approx) 627 LBS
Hopper Capacity: 9 Bu
Rate Control: Micro Flute Adjustment/Seed Cup
Gauge Mechanism: Interchangeable Sprockets
Outlets: 12



AG96 SEEDBOX

PRODUCT SPECIFICATIONS


Weight: (Approx) 627 LBS
Hopper Capacity: 9 Bu
Rate Control: Micro Flute Adjustment/Seed Cup
Gauge Mechanism: Interchangeable Sprockets
Outlets: 12



AG144 SEEDBOX

PRODUCT SPECIFICATIONS

Weight: (Approx) 902 LBS
Hopper Capacity: 18 Bu
Rate Control: Micro Flute Adjustment/Seed Cup
Gauge Mechanism: Interchangeable Sprockets
Outlets: 24




SPIKE ROLLER

AG72 SPIKER ROLLER

PRODUCT SPECIFICATIONS


Weight: 788 lbs.



AG96 SPIKER ROLLER

PRODUCT SPECIFICATIONS


Weight: 1,024 lbs.



AG144 SPIKER ROLLER

PRODUCT SPECIFICATIONS

Weight: 1,510 lbs.




CLEATED ROLLER

AG72 CLEATED ROLLER

PRODUCT SPECIFICATIONS

Weight: (Approx) 570 LBS
Diameter: 8"



AG96 CLEATED ROLLER

PRODUCT SPECIFICATIONS

Weight: (Approx) 650 LBS
Diameter: 8"



AG144 CLEATED ROLLER

PRODUCT SPECIFICATIONS

Weight: (Approx) 1,025 LBS
Diameter: 12"




MULTI-TINE SHELLS

MULTI-TINE SHELLS

Remove your AGRI-vator tines and replace them with the multi-tine shells just by bolting them in the existing tine holes. This will increase your holes per sq/ft. In addition to the seedbox, this makes the perfect, one pass seeder for over-seeding without damaging the turf netting.

PRODUCT SPECIFICATIONS

Vibrating Depth: 2"
Shells Required: AG72 6'- 24 shells
AG96 8'- 32 shells
AG144 12'- 48 shells



SHOP
AGRI-VATORS

1STPRODUCTS.COM